





T.			U_f	I_f		U_{tr}	I_o	R_{tr}	U_a	U_{g2}	U_{g1}	I_a	I_{g2}	S	R_i	R_o	P_o	h	P_a	P_{g2}
			V	A		V	mA	Ω	V	V	V	mA	mA	mA/V	k Ω	k Ω	W	%	W	W
12 A 7	int	1	12,6	0,3	{Z L	125	30		135	135	-13,5	9	2,5	1	102	13,5	0,55			
25 A 7-G	int	2	25	0,3	{Z L	117	75	15	100	100	-15	20,5	4	1,8	50	4,5	0,77	9	2,25	0,8
32 L 7-GT	int	3	32,5	0,3	{Z L	125	60		90	90	-5	27	2	4,8	17	2,6	1			
70 A 7-GT	int	3	70	0,15	{Z L	125	60		110	110	-7,5	40	3	5,8		2,5	1,5			
70 L 7-GT	int	4	70	0,15	{Z L	117	70	25	110	110	-7,5	40	3	7,5	15	2	1,8	10	5	1
117 L 7-GT	int	5	117	0,09	{Z L	117	75	15	105	105	-5,2	43	4	5,3	17	4	0,85	5	6	1
117 P 7-GT	int	6	117	0,09	{Z L	117	75	15	105	105	-5,2	43	4	5,3	17	4	0,85	5	6	1
117 N 7-GT	int	6	117	0,09	{Z L	117	75	15	100	100	-6	51	5	7	16	3	1,2	6	5,5	1


Equivalentents

WTT-115	amer = 117 N 7-GT
25 A 7-GT	int = 25 A 7-G
117 M 7-GT	amer = 117 L 7-GT







12A7




25A7-GT




70A7-GT



70L7-GT



117L7-GT



117N7-GT

