



TO-3PF-3L CASE 340AH ISSUE A

DATE 09 JAN 2015





2.			

NOTES: 1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 2009. 2. CONTROLLING DIMENSION: MILLIMETERS. 3. CONTOUR UNCONTROLLED IN THIS AREA (6 PLACES). 4. DIMENSIONS D AND E DO NOT INCLUDE MOLD FLASH OR GATE PROTRUSIONS. MOLD FLASH AND GATE PROTRUSIONS NOT TO EXCEED 0.13 PER SIDE. THESE DIMENSIONS ARE TO BE MEA-SURED AT THE OUTERMOST EXTREME OF THE PLASTIC BODY. 5. DIMENSION b2 DOES NOT INCLUDE DAMBAR PROTRUSION. LEAD WIDTH INCLUDING PROTRUSION SHALL NOT EXCEED 2.20.

	MILLIMETERS		
DIM	MIN	MAX	
Α	5.30	5.70	
A1	2.80	3.20	
A2	3.10	3.50	
A3	1.80	2.20	
b	0.65	0.95	
b2	1.90	2.15	
b3	3.80	4.20	
C	0.80	1.10	
D	24.30	24.70	
D2	24.70	25.30	
D3	3.30	3.70	
E	15.30	15.70	
е	5.35	5.55	
H1	9.80	10.20	
L	19.10	19.50	
L1	4.80	5.20	
L2	1.90	2.20	
Р	3.40	3.80	
Q	4.30	4.70	

DOCUMENT NUMBER:	98AON79755E	Electronic versions are uncontrolled except when accessed directly from the Document Repository. Printed versions are uncontrolled except when stamped	
STATUS:	ON SEMICONDUCTOR STANDARD		
NEW STANDARD:		"CONTROLLED COPY" in red.	
DESCRIPTION:	TO-3PF-3L		PAGE 1 OF 2



DOCUMENT NUMBER: 98AON79755E

PAGE 2 OF 2

ISSUE	REVISION	DATE
0	RELEASED FOR PRODUCTION FROM SANYO TO ON SEMICONDUCTOR. REQ. BY D. TRUHITTE.	30 APR 2012
A	CHANGED L2–MIN, b2–MAX, e–MIN/MAX DIMENSIONS TO SECURE MORE CREEPAGE DISTANCE BETWEEN THE LEADS. REDREW TO STANDARD FOR- MAT. REQ. BY T. AONO.	09 JAN 2015

ON Semiconductor and with a registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other application in which the BSCILLC product call create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use payers that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equal Opportunit/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.