D

**TOP VIEW** 

SIDE VIEW

**BOTTOM VIEW** 

Α В

Ε

- A2

Α

C SEATING PLANE

0.03 C

0.05 | C | A | B |

зох $\oslash \mathbf{b}$ 

еΒ

Ф



PIN A1 REFERENCE

2X 🗀

С

0.10 C

0.10 C

0.05 С

NOTE 3

0.10

## WLCSP30, 2.233x2.388 CASE 567CT ISSUE B

**DATE 06 OCT 2011** 

## NOTES:

- NOTES:
  1. DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
  2. CONTROLLING DIMENSION: MILLIMETERS.
  3. COPLANARITY APPLIES TO SPHERICAL CROWNS OF SOLDER BALLS.

	MILLIMETERS		
DIM	MIN	MAX	
Α	0.84	1.00	
A1	0.17	0.23	
A2	0.72 REF		
b	0.24	0.29	
D	2.388 BSC		
E	2.233 BSC		
eA	0.252 BSC		
eB	0.310 BSC		

## **GENERIC MARKING DIAGRAM\***




XXXXXX = Specific Device Code = Assembly Location Α

Υ = Year WW = Work Week = Pb-Free Package

\*This information is generic. Please refer to device data sheet for actual part marking. Pb-Free indicator, "G" or microdot " •", may or may not be present.

## **RECOMMENDED SOLDERING FOOTPRINT\***



\*For additional information on our Pb-Free strategy and soldering details, please download the ON Semiconductor Soldering and Mounting Techniques Reference Manual, SOLDERRM/D.

DOCUMENT NUMBER:	98AON52040E	Electronic versions are uncontrolle	
STATUS:	ON SEMICONDUCTOR STANDARD	accessed directly from the Document Repository. Printed versions are uncontrolled except when stamped "CONTROLLED COPY" in red.	
NEW STANDARD:			
DESCRIPTION:	WLCSP30, 2.233X2.388		PAGE 1 OF 2



DOCUMENT	NUMBER:
98AON52040	E

PAGE 2 OF 2

ISSUE	REVISION	DATE
0	RELEASED FOR PRODUCTION TO ON SEMICONDUCTOR. REQ. BY B. JENSEN.	07 JUL 2010
Α	REVISED PER JEDEC STANDARDS. REQ. BY C. CALAME.	16 NOV 2010
В	MINOR EDIT TO SIDE VIEW TO LENGTHEN PLANE LINE. REQ. BY C. CALAME.	06 OCT 2011

ON Semiconductor and are registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates and distributors harmless against all claims costs. damages and expenses and responses and responses. subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equal Opportunity/Affirmative Action Employer. This literature is subject to all applicable copyright laws and is not for resale in any manner.

© Semiconductor Components Industries, LLC, 2011 Case Outline Number: October, 2011 - Rev. B 567CT